

TANK MIX COMPATIBILITY

Compatible

Active Ingredient (a.i.)	Duration (hours)	Brand Names
3-butoxypropan-2-ol, Dipropylene glycol methyl ester	6	H2Pro TriSmart
6 (N) - 20 (P) - 0(K) + 0.77% Zn	6	Black Label Zn
7-0-0 +2Fe + sugars + wetting agent + amino + trace elements	6	VitalNova
8 (N) - 21 (P) - 5(K)	6	Green Flag
Aluminum Tris (O-Ethyl Phosphonate)	6	Aliette WDG
Azoxystrobin	6	Quadris Flowable
<i>Bacillus amyloliquefaciens</i> QST 713	6	Serenade
<i>Clonostachys rosea</i> strain J1446	6	LALSTOP G46 WG
Clothianidin	6	Belay
<i>Coniothyrium minitans</i> CON/M/91-08	6	LALSTOP CONTANS WG
Cyazofamid	3	Ranman Top Segway O
Dipropylene glycol methyl ester	6	H2Pro AquaSmart
Fludioxonil	6	Medallion SC
Fosetyl + Propamocarb	6	Previcur Energy
Fosetyl Al	6	Aliette 80
Heptamethyl glycidyl oxypropyl trisiloxane polymer with ethoxylated cocoamine and acetic acid	6	H2Pro FlowSmart
Iprodione	6	Chipco 26019
Metalaxyl-M and S-isomer	6	Ridomil Gold
Oxathiapiprolin, metalaxyl-M & S-isomer	6	Orondis Gold
Oxathiapiprolin	6	Orondis
Propamocarb Hydrochloride	6	Previcur-N Proplant
Pyraclostrobin	6	Empress Intrinsic Insignia SC
Thiamethoxam	6	Platinum
Thiophanate methyl	6	OHP 6672 4.5 F Senator 50SC
Triflumazole	6	Terraguard SC

Not Compatible

Active Ingredient (a.i.)	Brand Names
Didecyl Dimethyl Ammonium Chloride	KleenGrow
Mefenoxam	Ultra Flourish
Peroxyacetic Acid + Hydrogen Peroxide	Zerotol 2.0

Tank Mix Compatibility Notes

- Duration (hours) refers to the maximum length of time a product + LALSTOP K61 WP can stay in a tank without compromising efficacy. For optimal efficacy, mixtures should be applied immediately after preparation.
- Compatibilities are recorded at room temperature (65-77°F/20-25°C).
- Do not tank mix LALSTOP K61 WP with concentrated solutions of pesticides or fertilizers.
- If an active ingredient is not listed, consult a Lallemand Plant Care representative for more information.

ROTATIONAL COMPATIBILITY

Compatible Fungicides

Active Ingredient (a.i.)	Recommended Interval (Days)	Brand Names
Benomyl	0	Benlate
Bupirimate	2	Nimrod
Captan	3	Merpan SC
Carbendazim	1	
Carboxin+oxine-copper	1	
Chinomethionate	0	Baytan M O
Chlorothalonil	1	
Dichlofluanid	1	Botrysan
Etridiazole	1	Aaterra M
Fenarimol	0	
Fludioxonil	0	Geoxe WG Medallion SC
Fosetyl + Propamocarb	0	Previcur Energy
Fosetyl AI	0	Aliette 80
Furalaxyl	1	
Hymexazole	0	Tachigaren
Imazalil	2	Diabolo
Iprodione	3	Rovral
Mancozeb	3	Dithane M 45
Maneb	3	Manoran
Metalaxyl-M / Mefenoxam	0	Santhal
Procloraz	2	
Propiconazole	0	
Pyrazophos	1	Afugan

Compatible Fungicides Continued

Active Ingredient (a.i.)	Recommended Interval (Days)	Brand Names
Quintozene	1	Podax
Thiophanate-methyl	0	Topsin Senator 50 SC
Thiophanate-methyl-oxine copper	2	
Thiram	2	Rhodiasan
Triadimenol	0	Baytan 15
Triflumizol	0	
Triforine	3	Saprol
Vinclozolin	0	Ronilan

Other

Active Ingredient (a.i.)	Recommended Interval (Days)	Brand Names
Chlormequat chloride	0	Belcofel
Indolylbutyric acid (IBA)	0	
1-naphthylacetic acid (NAA)	0	

Rotational Compatibility Notes

- Insecticides that are sprayed to the foliage are compatible with LALSTOP K61 WP growing media treatment.
- LALSTOP K61 WP is compatible with entomopathogenic nematodes.
- LALSTOP K61 WP can be used simultaneously with Resiclean (concentration below 50 ppm). The recommended interval between applications of other products and LALSTOP K61 WP is 1 day.
- If an active ingredient is not listed, consult a Lallemand Plant Care representative for more information.